

Architectural technical regulations

VERY IMPORTANT: by signing your application form, **you have undertaken to comply with and to ensure that all decorators, installers or contractors comply with all the clauses of the general regulations, including the time allotted for build up and breakdown.**

The trade show organiser reserves the right to have the general installer modify or dismantle (at the exhibitor's expense) any installations that do not comply with the architectural regulations and which are likely to disturb neighbouring exhibitors or the public.



RX France

Two drawings with dimensions showing **floor plan and elevation** views must be submitted to the service provider **ASTECH** in charge of approving stand designs for study **before July 13th, 2022.**

Email : pascal.redon@astech-prod.com

Tél : +33 (0)6 83 25 95 12

Hanging elements/slings: Elements to be hung from the pavilion's rafters must be installed by the Parc des Expositions technical teams. Requests must be made to the park's exhibitor services

www.viparisstore.com.

In all cases, hanging elements must comply with the architectural rules. Your hanging structures (or strung elements) must be inspected by a certified company in order to obtain a stability report. **Exhibitors must provide a certificate of compliance.**



Architectural technical regulations


The **stand constructions** must take into account the following heights* (from the ground) and clearances :
No clearance compared to the aisles for constructions from 0 to 5.00m.

	MAX HEIGHT	ADJOINING CLEARANCE	RULES
Construction	5.00 m	1.00 m	Flat-rate overbilling in case of exceedance, request from the Sales Department. Please check the height limits on the stand position sent by your sales contact.
Partitions/shared partition walls	3.00 m*	1.00 m	*3.00m for the bare stands. 2.50m for the stands built by the Organization. The partitions facing neighbouring stands must be smooth, plain, painted white or covered with white or grey wall fabric, without any type of signs.
Signs	5.00 m	1.00 m	Flat-rate overbilling in case of exceedance, request from the Sales Department. Please check the height limits on the stand position sent by your sales contact.
Hanging sign structures facing the adjoining	5.00 m	1.00 m	Open superstructure that can include the exhibitor's label or illuminated logo. Sign structures must be slung or only be attached to the structure by a light frame. Clearance of 0.50m for suspended sign board on circle of the Identity stand.
Lighting fixtures or truss lighting	5.50 m	1.00 m	Independent lighting fixtures hung above the stand structures are authorised. Please contact Viparis' exhibitor department at +33(0)1.40.68.16.16 for any feasibility of your project.
Multi-level stands	5.50 m	1.00 m	Only for the stand of 99sqm, you will have to pay a flat rate. Height limited to 5m in the upper part. Flat-rate overbilling in case of exceedance, request from the Sales Department.

Architectural technical regulations

The **stand constructions** must take into account the following heights* (from the ground) and clearances :

***Please check the height limits on the layout proposal sent to you by your sales contact.**



Architectural technical regulations

STAND BOUNDARIES

No decorations, furnishings, signs or lighting may protrude from the boundaries of your stand.

CLEAR AISLES

Exhibitors must leave **the aisles clear** of all pipes, cables/wires or decorative elements, both on the ground and overhead. However, pipes and cables meeting the requirements of the organiser or the safety teams will be allowed to cross the stands if necessary.

STAND OPENINGS

Each side of a stand facing an aisle must have a **minimum opening of 50%**, in order to allow easy access to the stand, avoid disturbing neighbouring stands and to allow proper visibility and flow of visitor traffic.

The following may be considered as openings:

- **Any decorative elements or furniture not exceeding 1m in height, excluding low partitions** (e.g.: plants, reception counters, etc.)
- **Any mobile elements, up to the full height of the stand, allowing physical access to the stand.**

The organizer reserves the right to have the layout of the project received modified for any purpose.

REUSED STANDS

Reused stands are subject to the trade show's Architectural Regulations, just like newly built stands.

MULTI-LEVEL STANDS

Multi-level stands are only allowed for 99sqm stands and will have to pay a flat-rate extra charge, request to the Sales Department.

Any project of a stand with a floor must, in advance, be submitted to the security officer for approval:

Cabinet A.F.S. Conseils & Sécurité – Alain Francioni - afs@afsconseils.fr
Tel: +33 6 70 61 95 11 -

AWNINGS

If you wish to install an awning, you will first need to have the amount of coverage approved by our safety officer.

DAMAGE

Exhibitors are responsible for any damage to the building's structures during the transport, installation or removal of their equipment made by themselves and/or companies working on their behalf. Partitions/walls, floors, and pillars may not be drilled into, sealed, chased, cut or painted.

FLOORING

Stands are delivered with carpeting except for stands installed by a decorator who supplies, installs, and removes it. Exhibitors will be charged for any damage they cause to the existing floor. They are responsible for taking all necessary precautions (plastic, plywood, etc.) to protect the floor from risks, especially painting.

Architectural technical regulations

EQUIPMENT IN OPERATION

Exhibitors wanting to present equipment in operation, must return the "Equipment in operation" form to the safety officer

**Cabinet A.F.S. Conseils & Sécurité –
Alain Francioni**

+33 6 70 61 95 11 - afs@afsconseils.fr

BULKY EQUIPMENT

Stands exhibiting bulky vehicles or equipment must IMPERATIVELY submit their positioning to the technical service of the show for approval.

SMOKE VENTILATION CONTROL SYSTEMS AND FIRE FIGHTING SYSTEMS

Smoke ventilation control systems or fire extinguishers are placed on the peripheral walls or pillars. Fire hose reels must be visible and accessible within a 1m radius. Intercoms must be kept clear at all times. Signs for these systems must always be visible.

TETHERED BALLOONS

Balloons inflated with a gas lighter than air (air or helium) and used as a sign must respect the authorised heights and clearances.

If the balloon is inflated with helium, no storage of helium bottles (empty or full) will be allowed in the pavilion. It is also forbidden to put pressure back on during the presence of the public. If the balloon is illuminating, the envelope must have a reaction to the M2 fire.

The length of their attachments must not change and follow the same clearances as hanging elements. Failure to comply with this obligation will authorise the organiser to remove them.

FIRE SAFETY INSPECTION

All installations must comply with the regulations issued by the Préfecture de Police. The General Commissioner will inspect all stand installations and may reject those that do not conform to trade show regulations. Due to the Fire Safety Inspection, stand build up must be completed by the day before the opening of the show.

WHEELCHAIR ACCESSIBILITY

All stands equipped with a technical floor higher than 2 cm which the public may have to climb must have a wheelchair ramp. It must be 0.90 m wide and have a slope of between 2% and 5%. The ramp must be integrated into the stand and not extend into the aisles.

THE FIRE HOSE REEL

The fire hose reel must remain visible and accessible, and therefore must not be blocked by any casing, doors, curtains or decorative elements. However, a floating curtain of neutral colour will be tolerated in front of the device. A sign will be placed above the curtain (red plate, RIA in white lettering or pictogram, 40 cm x 15 cm).

It must be fully accessible, with a 1 m wide path (at least) from the nearest aisle.

Architectural technical regulations

ATTRACTIONS/EVENTS, SOUND SYSTEMS AND ILLUMINATED SIGNS

All forms of attractions/events and sales activities are strictly prohibited outside the stand unless the exhibitor has reserved this type of visibility with the organiser. All light and sound advertising must be submitted to the organiser for approval, who may revoke the authorisation granted in the event of a disturbance to neighbouring exhibitors, the flow of visitor traffic or the trade show.

Rotating and similar lights are not permitted. Illuminated signs or signage are permitted. Under no circumstances may they have strobe or flashing lights.

Attractions/events must be declared to the organiser. The noise level coming from the stand must not exceed 70dB at the stand boundary. The organizers reserve the right to determine the acceptable sound level in the event of complaints from other exhibitors.


CLADDING ON PILARS

The covering of the pillars is allowed on all sides of the pillar (excluding fire hose reel) and depending on the height of the formwork (contact the technical service to receive a technical sheet). This dressing will be tolerated (subject to the agreement of the organizer) if the pole is **on the stand** or **attached to the surface of the stand**. It is forbidden to pierce or damage the pole. Otherwise, the restoration will be invoiced to the exhibitor.

If you are using a stand designer, please send them this document so that they can take these regulations into account when designing your stand.

Architectural technical regulations


Pavilion 1 peculiarities : technical sheaths



Please contact your sales contact to find out which height areas are specific to your location.


The stands under the technical ducts of Pavilion 1 must be accompanied by VIPARIS' exhibitor service to validate the feasibility of their high hanging projects.

The exhibition deck located in Pavilion 1 is a non-slingable area.




Architectural technical regulations

Pavilion 2.2 -1.1 peculiarities : limited construction heights




Please contact your sales contact to find out which height areas are specific to your location.



Architectural technical regulations

Pavilion 3 peculiarities : limited construction heights



Please contact your sales contact to find out which height areas are specific to your location.


The stands under the the device of Pavilion 3 must be accompanied by VIPARIS' exhibitor service to validate the feasibility of their high hanging projects.

Architectural technical regulations

Pavilion 4 peculiarities : limited construction heights


Please contact your sales contact to find out which height areas are specific to your location.

The stands under the the device of Pavilion 4 must be accompanied by VIPARIS' exhibitor service to validate the feasibility of their high hanging projects.



Architectural technical regulations

HALL PILAR CLADDING



* All floors are concrete.



FIRE HOSE REEL



POWER SUPPLY

TECHNICAL HATCH



ELECTRICAL CABINET

